ACCESS AND TRAVEL MANAGEMENT

WIND RIVER DISTRICT GIFFORD PINCHOT N.F.

PHASE 1 REPORT

JULY, 1994



TABLE T-1 ROADS to TRAILS

Further pla	nning wil	determi	ne user g	roups and design	standards.
rojects to	convert	roads to	trails will	take place as fun	ding becomes available or partnerships are formed.
Road	Len.	Мар	Current	Watershed	Comments
Number	Mi.	Numb.	Maint		
3700526	2.60	1T	2	Canyon Cr	If possible, tie to existing road 3700527.
5300535	2.60	1T	2	Rock Cr	
5300536	1.20	1T	2	Rock Cr	Viewpoint, helispot.
5301000	4.20	1T	1	Rock Cr	Currently closed for wildlife security.
5301537	1.90	1T	1	Rock Cr	Currently closed for wildlife security.
5400310	4.10	1T	1	Canyon Cr	
5704315	1.00	1T	2	Canyon/Siou.	Day hike. Top of West Point old lookout site.
4100502	2.20	2T	1	E. Fork Lewis	Project included in Silver Star EA. Bluff Mt
4100544	4.70	2T	2	E. Fork Lewis	
4104504	5.80	2T	2	E. Fork Lewis	Gate closed all year, watershed restoration project.
4104610		2T	2	E. Fork Lewis	
4205517	2.50	2T	2	Canyon/Lewis	
4205518	2.10	2T	2	Canyon/Lewis	
4211000	3.50	2T	2	E. Fork Lewis	Watershed restoration project. Top 1.2 miles fire control access.
5800324	2.50	3T	2	Canyon/Siou.	Located on ridge between Siouxon and Canyon Creeks.
6403000	1.60	3T	2	Siouxon Cr	Last 1.6 miles, make part of Siouxon trail system. Chinoak Creat
6403216		3T	2	Siouxon Cr	Make part of Siouxon trail system. Siouxon Peak
4100405		4T	1	Trout Cr	Originally built to access lookout no longer standing.
4100406		4T	2	Washougal R	Ties to state land and trail system.
4100559		4T	1	E. Fork Lewis	Crosses trail 139, runs down ridge.
4100567		4T	2	Washougal R	
4100569	-	4T	2	Washougal R	
4309600		4T	2	Trout Cr	Access to Experimental plots, move trailhead to Rd 4309.
3100133		5T	2	Miller Cr	Snowfoot trail to tie to Rd 3054.
6401000		5T	2	Dry Cr	Currently closed Sept-June for wildlife. Same close date if motor.
6700142		5T	1	Falls Cr	Extend Falls Cr trail on this road or raw land.
4100000		6T	2	Trout Cr	+ 4100 409 to Moisich Butte
4300417	_	6T	2	Wind River	Runs north from Nursery to 54 road, PVT land at 5400 intersection.
5400432		6T	2	Wind River	Trail would tie to Rd 4300417 for loop.
5400433	_	6T	2	Wind River	Trail would tie to Rd 4300417 for loop.
6053000		6T	2	Black Cr Swp	Currently blocked all year for wildlife security. Ties to Falls Cr trails.
6400201	2.60	6T	2	Dry Cr	Tie to trail # 124 and Rd 6401.
6517067	0.30	6T	2	Panther Cr	Near Panther Cr Campground.
6050000		8T	2	Black Cr Swp	Currently blocked all year for wildlife security.
6050060		8T	1	Black Cr Swp	Currently blocked one end, non motorized, wildlife viewing.
6057047		8T	2	Black Cr Swp	
6057060	0.40	8T	1	Black Cr Swp	
TOTAL	83.25		Miles		

ORV





TABLE R1-C ROADS MAINTAINED for PASSENGER CARS

			Condition.			1.0		1
OFC = A	These road	s are or	pen year round and are m	aintaine	d for tra	vel by a p	rudent drive	er in a standard passenger car.
OFC = A	hese road	s are pl	otted on maps 1R - 8R a	s a solid	line and	labeled v	vith a road	number and DFC letter code.
DFC = C	hese road	s are se	easonally closed to the pu	ıblic. Th	ey are n	naintained	for travel i	by a prudent driver in a passenger car.
DFC = C	hese road	s are pl	otted on maps 1R - 8R a	s a dash	ed line a	nd labeled	with a roa	d number and DFC letter code.
				-				
				USFS	Curre	ent Manag		
Road	Len.	Мар	Location	Team	Maint.	Close	Days	Comments
Number	Mi.	Numb.	From Road to Road	DFC*	Lev.	Dev.	Closed	
	Ma	intaine	d for passenger car	s, oper	all ye	ar.		
3000135	0.10	5R	30 Rd - Parking	A	4	none		Oldman Pass Snowpark.
3053000	0.10	5R	30 Road - Parking	A	4	none		McClellan Meadows Snow Park.
3065000	1.30	6R	Rd 5401 to gate	Α	3	gate	Dec/Apr	Government Mineral Springs.
3065000	0.50	6R	Gate to end of road.	Α	3	gate	all year	Government Mineral Springs.
3090000	0.40	6R	Rd 30 - Scale Ramp	Α	4	none		High Bridge Log Scale Ramp.
4100000	19.20	2R	Rd 42 to Rd 43	Α	3	none		
4109000	4.40	2R	Rd 41 to 4109602	A	2	none		Access to Silver Star Mnt.
4112000	0.40	2R	Rd 41 - Campground	Α	4	none		Sunset Campground.
4200000	22.00	2R	Rd 54 to Sunset	A	3	none		
4220000	2.80	4R	Rd 42 to Rd 41	A	3	none		Cougar Rock to Little Lookout Mnt.
4300000	9.00	6R	Ranger Sta to Rd 41	Α	3	none		
4300417	0.20	6R	Rd 43 to trailhead	A	2	none		Access to Whistle Punk Trailhead.
5300000	11.80	1R	Rd 37 to Rd 42	A	3	none		Canyon Cr to East Fork Lewis.
5400000	32.50	1R	Rd 30 to For. Bndry	A	4	none		Chelatchie Prairie to Stabler.
5401000	3.30	6R	Rd 54 to GMS gate	A	3	none		
5401000	1.50	6R	GMS gate to end	A	3	gate		Maintained by GMS Homes Assoc.
5407000	2.90	6R	Rd 58 to Rd 54.	A	3	none		Walitania by allo Homes Assoc.
5700000	4.40	1R	Rd 54 to Rd 5704.	A	4	none		
5704000	4.10	1R	Rd 57 to Rd 58	A	3	none		Siouxon Trailhead access.
5800000	1.10	3R	Rd 5704 to Rd 5407	A	2	none	-	Slouxon Trainlead access.
6000000	8.00	6R	Rd 30 to end pave	A	4	none	-	Asphalt section.
6000000	5.10	8R	End pave to Dist. Bn	A	3			
6500000	21.90	8R	County Rd to 30 Rd	A	4	none		Gravel section to Dist Boundary. Access Indian Haven Wilderness.
6500075	0.10	6R	Rd 65 Horse Ramp	A	3	none		
6517000	1.80	6R	Rd 30 to Rd 65			none		Panther Creek Horse Ramp.
6800000	1.50	8R		A	3	none		Warren Gap Road.
		on	Rd 65 to Rd 6801	A	3	none		Access to Pacific Crest Trail.
TOTAL	160.4	The Court of	Miles	-				
	Main	tained	for passenger cars,	seasor	ally or	en.		
				617				
5701000	3.80	1R	Rd 57 to end	С	4	none		Siouxon trailheads, winter range
								New closure Dec/Apr Winter Range.
3059000	0.70	5R	Rd 30 - Campground	С	4	gate	Nov/May	Paradise Park Campground.
3100000	5.70	5R	Rd 30 to Rd 3105	С	3	sign		Recreation, timber management.
6400000	2.00	5R	End pave to Rd 58	С	3	sign		Access to upper Siouxon trailheads.
3062000	2.30	6R	Rd 30 to end	С	3	sign		Falls Creek Trails.
3068000	0.60		Rd 30 - Campground	С	4	gate		Beaver Campground.
6400000	4.00		Rd 30 to end pave	С	4	sign		Access to upper Siouxon trailheads.
6521000	1.10		Rd 30 - Campground	С	3	gate		Panther Creek Campground.
6800000	2.00		Rd 68 to PCT	С	3	conc		Access to Pacific Crest Trail
6808000	7.10		County Rd to Rd 68	C	3	gate		Trail # 146, tie Wind R. to Willard.
		5			-	Agro	Doc/Apr	THE WITTER THE WITTER TO WITTER TO
TOTAL	29.30			Miles				
late =								n unless comments state
ote : Ret	ain curr	ent clo	sure dates shown in	Curre	nt Mar	Same	24 00 1100	



SUMMARY OF MAJOR CHANGES

The Access and Travel Management effort has identified several possible changes in the way that we manage the road system. Some are large changes and others are more subtle. We have identified five types of changes that we believe will have the most importance to Forest users. These changes fit into the following groupings:

- 1. A reduction in road maintenance level from passenger car to high clearance standard.
- 2. Conversion from road to trail.
- 3. Mitigation of resource damage on roads now open to highway legal vehicles and closing them when mitigation is complete.
- 4. Implementing seasonal road closures on roads that are currently open for public use all year. Generally the seasonal road closures are for wildlife security.
- 5. Roads that are currently open to high clearance vehicles which will become impassable over time.

Tables 1S and 2S and Maps 1S through 8S display these changes. Changes in category 5 above are listed in the tables, but are not mapped, due to the large number of roads that would be difficult to display on maps at this scale.

TABLE 2S SUMMARY OF SIGNIFICANT CHANGES

The roads listed below are currently maintained for passenger cars. Under the proposed management plan they would be maintained for high clearance vehicles.

Road Number	Length Miles	Location From / To
5800000	11.40	Rd 64 to Rd 5704
4205000	10.00	Rd 42 to Rd 53
3700000	12.90	Rd 54 to Rd 42
4109000	4.40	Rd 4100 to 4109603
TOTAL	38.70	Miles

The following roads are now open for public use all year. Under the proposed management plan the would be closed for winter range management Dec 1 to Apr 1.

Road	Length	Location	Drainage	
Number	Miles	From / To		
3700000	12.90	Rd 54 to Rd 42	Canyon Cr	
3800000	7.00	Rd 37 to Rd 53	Canyon Cr	
3810000	3.50	Rd 38 to Rd 53	Canyon Cr	
4104000	8.90	Rd 41 to 4104503	E.F. Lewis	
5701000	3.80	Rd 57 to end	Siouxon	
4205000	2.00	Rd 42 to 4205523	E.F. Lewis	
TOTAL	38.10	Miles		

Several roads now maintained for high clearance vehicles and open to the public would be closed or converted to trails.

Miles pow open

Future Condition	of Roads	proposed to close.	
Е	7	19.7	Miles
G	35	62.4	Miles
Н	13	35	Miles
TOTAL		117.1	Miles

In addition to the changes noted above, 100 roads totaling 85 miles would be placed in Maintenance Level 1, custodial. Vegetation and rockfall will eventually eliminate motorized traffic.

TABLE 1S SIGNIFICANT CHANGES IN MANAGEMENT DIRECTION

						Manag		
Road	Len.	Map	Location	_		Close	Close	Comments
Number	Mi.	Numb.	From Road to Road	Code	Level	Dev.	Dates	
			The following roa	ads ha	ve be	en maj	pped as s	ignificant changes.
			Maint		. 1	al obor	nges, mai	n roade
			IVIAINT	enanc	e Leve	ei Char	iges, mai	n roads
5800000	11.40	35	Rd 54 to Rd 64	В	3	None		Maintain for high clearance vehicles.
5800000	11.40	33	NG 54 10 NG 64	B	3	140116		Currently maintained for passenger cars.
4205000	8.00	15	Rd 4205523 to 58	В	3	None		Maintain for high clearance vehicles.
4203000	0.00	10	110 4203323 10 30	-		140110		Currently maintained for passenger cars.
3700000	12.90	15	Rd 54 to Rd 42	D	3	None		Maintain for high clearance, currently main-
0,0000	12.00	10	114 04 10 114 42			ITTOTIO		tained for pass. cars. Winter range closure.
4205000	2.00	25	Rd 42 to 4205523	D	3	None		Maintain for high clearance, currently main-
120000	2.00		110 12 10 1200020					tained for pass. cars. Winter range closure.
4109000	4.40	25	Rd 41 to 4109602	Α	2	None		Maintain for passenger cars, currently main-
4100000	71.10		114 41 10 4100002	-		110110		tained for high clearance. Silver Star area
				easor	of P	blic II	se Chang	ies
				10000	. 5. 11	20.10	Je onang	
5701000	3.80	15	Rd 57 to end	С	4	None		Currently open all year to access Siouxon
3701000	3.80	13	nu 57 to end		4	None		trails. Winter range closure Dec/Apr.
3700000	12 90	15	Rd 54 to Rd 42	D	3	None		Currently open all year, winter range closure
3700000	12.90	13	nu 34 to No 42	- U	3	NONE		Dec/Apr. Chronic sediment source.
3800000	7.00	15	Rd 37 to Rd 54	D	2	None		Currently open all year, winter range closure
3800000	7.00	10	nu 37 to nu 34			140116		Dec/Apr.
3810000	3.50	15	Rd 38 to Rd 54	D	2	None		Currently open all year, winter range closure
3810000	0.00	10	na so to na sa	-	-	140110		Dec/Apr.
4104000	8.90	25	Rd 41 to 4104503	D	2	None		Currently open all year, winter range closure
4104000	0.50	20	Na 41 to 4104303			140110		Dec/Apr.
4205000	2.00	25	Rd 42 to 4205523	D	3	None		Currently open all year, winter range closure
4200000	2.00		110 42 10 4200020		-	140110		Dec/Apr.
3054000	5.40	55	Rd 30 to end	E	2	Gate	Dec/Apr.	Close gate all year for wildlife security.
0004000	0.40	- 00	na oo to ona	-	-	Gato	Doc/Apr.	Maintain road for timber management.
6063000	1.70	65	Rd 60 to end	E	2	Gate	all year	Move gate to intersection with Rd 60, close
-	1170	- 00	na do to ona	-		Guto	un your	all year. Maintain for fire control access.
6200000	1.80	65	Rd 60 to end	E	2	Gate	May/Jun	Gate now closed during Elk calving season.
020000	1100		na oo to ona	-		Cuto	Mayroan	Close gate all year. Maintain for fire control.
6507000	4.00	55	Rd 30 to Rd 65	E	2	Sign	Dec/Apr	Maintain for seasonal high clearance access
0007000	1.00		114 00 10 114 00		_	Oigi.	Восилы	to Indian Haven until Rush Cr Bridge fixed,
		-						then close road all year for wildlife security.
6507130	2.80	55	Rd 6507 to end	E	2	Gate	Jan/Apr	Move gate to Rd 6507, close all year
				-				, , , , , , , , , , , , , , , , , , , ,
6700121	2.10	58	Rd 67 to end	E	2	None		Close road all year for wildlife security.
								Maintain road for timber management.
6700122	1.90	58	Rd 67 to end	E	2	None		Close road all year for wildlife security.
								Maintain road for timber management.
FEBRUARY 1								
			Roads now open,	causi	ng res	ource	damage.	Mitigate and close
101 4 1					3			
3062055	1.30	65		G1	2	Sign	Dec/Apr	Close road all year to motorized vehicles.
						2.9.1	200//101	Erosion, stability problems., Winter Range.
3062056	2.40	65		G1	2	Sign	Dec/Apr	Close road all year to motorized vehicles.
						J.g.,	Doorner	Erosion, stability problems., Winter Range.
3080000	4.30	65		G1	2	None		Close road all year to motorized vehicles.
		55			-	.40110		Erosion, stability problems., Winter Range.
Control of the Control				-				Liberty Stability problems., Willes mange.

